**Γable 4. Interpretation text change for IMS-0120** 

RBR_id_key IMS- 85 0120# 45 B	Category mission essential	seg SDPS			S_V_S	u , .111	a_v_s	text	interpretation	clarify
0120# 45			1111116	inspec	un-	inspe	un-	The IMS shall provide, dependent	B: VALID LISTS	
			tion	tion	verifie		verifi		FOR VARIABLES	
к і			al	tion	d	Ction	ed	capabilities, a user-friendly	FOR ASTER	
			aı		u		ca	interface with the following	PRODUCTS	
								features at a minimum:	BECOME	
								a. Multiple window display	AVAILABLE	
								b. Buttons and pull down menus	FOR ITEM C.,	
								c. Valid lists for all variables	VALID LISTS FOR	
								d. An information base of	DISPLAY OF	
								associations between variables	VARIABLES FOR	
								(e.g., between instruments and	ASTER	
								geophysical parameters)	PRODUCTS WILL	
								e. Ability to restore a session after		
								interruption	WHEN	
								f. Context-sensitive help	AVAILABLE	
								g. Minimal and consistent use of		
								non-standard keys		
								h. Random movement through		
								fields		
								i. Capability to save and restore		
								the contents of a menu or form		
								j. Standardized use of commands		
								and terminology across screens		
								k. Self-explanatory, meaningful		
								error messages		
								1. Automatic acronym expansion,		
								which can be enabled and		
								disabled interactively		
								m. Availability of a menu tree		
								diagram		
								n. Command language		

**Table 5. Reference table for analysis of L4s to IMS-0120#B** 

L4 id	rel	req_type	req_stat us	ver_met hod	ver_status	clarification	text	comments
S-CLS- 00010	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with a multiple window display.	Covers item a.
S-CLS- 00020	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with buttons and pull down menus.	Covers item b.
S-CLS- 00030	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with consistent use of non-standard keys.	Covers item g.
S-CLS- 30040	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with minimal use of non-standard keys.	Covers item g.
S-CLS- 00050	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with standardized use of commands and terminology across screens.	Covers item j.
<u>S-CLS-</u> <u>00060</u>	<u>B0</u>	function al	increm ental	<u>demo</u>	unverified		The WKBCH CI shall provide users with automatic acronym expansion, which can be enabled and disabled interactively.	New L4 to cover item l.
S-CLS- 00080	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with self-explanatory error messages, for science users. either through Message/Error Dialogs or through the message area.	Covers item k. Modification was done by CCR#97-0407
S-CLS- 00090	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with random movement of a cursor through the screen.	Covers item h.
S-CLS- 00100	A	function al	increm ental	demo			The DESKT CI shall provide a GUI interface with context-sensitive help.	Covers item f
S-CLS- 00110	A	function al	increm ental	demo	unverified		The DESKT CI shall provide an mechanism to have help information made available to users and include a general introductory description of EOSDIS and its services.	Covers item f
S-CLS- 00120	A	function al	increm ental	demo			The DESKT CI shall provide for a common default color scheme for the user interface which may be customized by the user.	User friendly
S-CLS- 00130	A	function al	increm ental	demo			The DESKT CI shall provide for a standard ordering of menu items for the user interface.	User friendly
S-CLS- 00140	A	function al	approv ed	test	unverified		The DESKT CI shall provide a standard widget set for building a user interface, e.g. TimeEntry Widget, TimeInterval Widget, TextField, Integer TextField, Real TextField,	User friendly

_4 id	rel	req_type	req_stat	ver met	ver status	clarification	text	comments
		1-7-51	us	hod				
							Listbox, Double Selection List Box, and	
							Utilities like SetFont.	
-CLS-	A	function	increm	test			The DESKT CI shall provide container	User friendly
0150		al	ental				desktop objects.	
S-CLS-	Α	function	increm	test			The DESKT CI shall provide document	User friendly
00160		al	ental				desktop objects.	1
S-CLS-	Α	function	increm	test			The DESKT CI shall provide application	User friendly
00170		al	ental				desktop objects.	1
S-CLS-	Α	function	increm	test			The DESKT CI shall provide users the	User friendly
00180		al	ental				capability to execute software associated with	1
							a desktop object.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
00190		al	ental				capability to create desktop objects.	1
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
00200		al	ental				capability to destroy desktop objects.	1
S-CLS-	Α	function	increm	test			The DESKT CI shall provide users the	User friendly
0210		al	ental				capability to open desktop objects.	
S-CLS-	B0	function	increm	test	unverified		The DESKT CI shall provide users the	
00220		al	ental				capability to copy the reference to objects for a	
							desktop object.	
S-CLS-	Α	function	increm	test			The DESKT CI shall provide users the	User friendly
00230		al	ental				capability to copy a desktop object.	
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide users the	
00240		<del>al</del>	ental				capability to deep copy a desktop object.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
00250		al	ental				capability to move desktop objects.	
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide users the	
00260		<del>al</del>	ental				capability to obtain desktop object data	
							associated with desktop objects.	
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide users the	
00270		al	ental				capability to update desktop object data	
							associated with desktop objects.	
S-CLS-	B0	function	increm	test	unverified		The DESKT CI shall provide users the	
0280		<del>al</del>	ental				capability to list the available services	
							associated with any desktop object.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
0290		al	ental				capability to bind a service to a desktop object.	ĺ
-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide users the	
00295		<del>al</del>	ental				capability to unbind a service from a desktop	

L4 id	rel	req_type	req_stat	ver met		clarification	# 97-0443B Page text	comments
		1_ 71	us	hod	_			
							object.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
0300		al	ental				capability to invoke any service bound to a	
							desktop object.	
S-CLS-	₽	function	increm	test	unverified		The DESKT CI shall provide users the	
00310		<del>al</del>	ental				capability to generate an exchangeable (i.e.,	
							file based) form for desktop objects.	
S-CLS-	₽	function	increm	test	unverified		The DESKT CI shall provide users the	
00320		<del>al</del>	ental				capability to generate a desktop object from an	
							externalized (i.e., file-based) format.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
00330		al	ental				capability to add desktop objects to container	
							objects.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
00340		al	ental				capability to remove desktop objects from	
							container objects.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide users the	User friendly
00345		al	ental				capability to undo the last removal of desktop	
							objects from container objects.	
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide users the	
00350		<del>al</del>	<del>ental</del>				capability to iteratively apply operations to	
							each of the objects in a desktop container.	
S-CLS-	Α	function	increm	test			The DESKT CI shall provide users the	User friendly
00380		al	ental				capability to display the objects contained in	
							container objects.	
S-CLS-	Α	function	increm	test			The DESKT CI shall provide the capability to	User friendly
00390		al	ental				iconically represent desktop objects, allow	
							single or multiple icons to be selected, and	
							highlight icons when selected.	
S-CLS-	A	function	increm	test			The DESKT CI shall provide the capability to	User friendly
00400		al	ental				textually represent desktop objects.	
S-CLS-	B0	function	increm	test	unverified		The DESKT CI shall provide the users the	
00410		al	ental				capability to list object types supported by a	
							specific application or service class.	
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide the users the	
00420		<del>al</del>	ental				capability to list applications or service classes	
							supported by a specific object type.	
S-CLS-	₽	function	increm	test	unverified		The DESKT CI shall provide the users the	
00430		<del>al</del>	<del>ental</del>				capability to add applications or services	

## RTM 3/14/97 Raseline CCR # 97-0443R

L4 id	rel	req_type	req_stat	ver met		clarification	text	e 10 of 14 comments
D 1 1G		leq_type	us	hod	ver_states	Ciarification		Comments
							supported by a specific object type.	
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide the users the	
<del>30440</del>		<del>al</del>	ental				capability to remove applications or services	
							supported by a specific object type.	
S-CLS-	₽	function	increm	test	unverified		The DESKT CI shall provide users the	
<del>30450</del>		<del>al</del>	ental				capability to install an application interface	
							(i.e., an application and its parameterized	
							interface description).	
S-CLS-	₿	function	increm	test	unverified		The DESKT CI shall provide users the	
<del>30460</del>		<del>al</del>	ental				capability to remove an application interface.	
S-CLS-	B	function	increm	test	unverified		The DESKT CI shall provide users the	
<del>30470</del>		<del>al</del>	ental				capability to obtain the attributes associated	
							with an application interface.	
S-CLS-	₽	function	increm	test	unverified		The DESKT CI shall provide users the	
<del>30490</del>		<del>al</del>	ental				capability to modify the attributes associated	
							with an application interface.	
S-CLS-	B	function	increm	test	unverified		The DESKT CI shall provide users the	This L4 was
<del>30640</del>		<del>al</del>	ental				capability to obtain a description of the	deleted by CCR#
							interaction between the Workbench and	97-0407.
							specified tools.	
S-CLS-	Α	function	increm	demo			The WKBCH CI shall provide a GUI interface	Covers item d
01280		al	ental				to data dictionary associations between	
							attributes (e.g., between instruments and	
							geophysical parameters).	
S-CLS-	₽	function	increm	test	unverified		Desktop objects shall utilize a <tbd> external</tbd>	
<del>31450</del>		<del>al</del>	ental				format.	
S-CLS-	B	function	increm	test	unverified		Desktop object references shall be in <tbd></tbd>	
<del>31460</del>		<del>al</del>	<del>ental</del>				format.	
S-CLS-	Α	function	increm	test			The DESKT CI shall utilize an X-windows	User friendly
01480		al	ental				windowing interface for the GUI.	
S-CLS-	A	standard	increm	test			The DESKT CI user interface shall conform to	Purposed
<del>31500</del>		S	ental				the guidelines of the ECS User Interface Style	deletion by
							Guide and ECS Motif Developers Guide.	another CCR.
S-CLS-	A	standard	increm	demo			The WKBCH CI interface to access	. Purposed
<del>31510</del>		<del>S</del>	ental				communications networks shall conform to the	deletion by
							ECS style guidelines.	another CCR.
S-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall provide the user the	
<del>1550</del>		al	ental				capability to copy ECS services onto his	
	1						desktop, iconize them, and save them as	

L4 id	rel	req_type	eq_stat	ver met	ver status	clarification	text	comments
2.10	1		us	hod	, 61_5141143			••••••
							desktop objects.	
-CLS-	<del>B0</del>	function	increm	test	unverified		The DESKT CI shall have capability to prompt	
1555		al	ental				user for confirmation when a user attempts	
							addition, modification or deletion of an object.	
-CLS-	B0	function	increm	test	unverified		The DESKT CI shall provide the user the	
1560		al	ental				capability to access a service via the previously	
							saved desktop object representing that service.	
S-CLS-	Α	function	increm	demo			The DESKT CI shall provide users the	User friendly.
1600		al	ental	0,01110			capability to resize windows.	
S-CLS-	A	function	increm	demo			The DESKT CI shall provide users the	User friendly.
1605		al	ental	661110			capability to select different default screen font	
1000			<b>011001</b>				sizes.	
S-CLS-	Α	function	increm	demo			The DESKT CI shall provide users with the	User friendly.
01610		al	ental	001110			ability to option of selecting select-among four	
							icon sizes like( i.e. tiny, small, medium and	
						large).		
-CLS-	A	function	approv	test	unverified		The DESKT CI shall provide users the	User friendly.
1615		al	ed		011 ( 011110 0		capability to set preferences (e.g. desired	
							view, mode of opening container object, sort	
							based on alphabetical, modification, size, type	
							of object either in ascending or descending	
							order, and confirmation for delete.)	
S-CLS-	Α	function	increm	test			The DESKT CI shall provide the capability to	User friendly.
1625		al	ental				drag and drop desktop objects to perform	
							functions like move, copy and to invoke	
							related applications.	
-CLS-	Α	function	increm	test			The DESKT CI shall provide a mechanism to	Covers item i.
1627		al	ental				save the screen location of all programs it is	
							managing.	
-CLS-	Α	function	increm	test			The DESKT CI shall provide an easy way for	User friendly.
0642		al	ental	demo			an unregistered user to find out how to register	
							through Help.	
-CLS-	A	function	increm	demo			The WKBCH CI shall list Dependent Valid	New link to this
0780		al	ental				Values to assist users in formulating Search	RBR.
							Requests.	Covers item c.
S-CLS-	B0	function	increm	test	unverified		The WKBCH CI shall provide a GUI interface	Covers item I
2070		al	ental				with capability to save and restore the contents	
							of data search and order forms.	
S-CLS-	B1	function	increm	test	unverified		The WKBCH CI shall provide a GUI interface	Cover item n
2110	1~*	al	ental	1		1	with a command language.	

				RTM	[ 3/14/97 Ba	seline CCR	# 97-0443B Page	e 12 of 14
L4 id	rel	req_type	eq_stat us	ver_met hod	ver_status	clarification	text	comments
<u>S-CLS-</u> 12500	B1	function al	increm ental	test	unverified		The WKBCH CI shall provide users an interface to APIs for use in non-interactive remote user sessions.	New link to this RBR. User friendly.
S-CLS- 12520	A	function al	increm ental	demo			The WKBCH CI shall provide the capability for a user to modify their User Profile information.	
<u>S-CLS-</u> 12710	<u>B1</u>	function al	increm ental	<u>demo</u>	<u>unverified</u>		The WKBCH CI shall save user states for restoring interrupted sessions.	New L4 for item e.
S-CLS- 12720	B0	function al	increm ental	test	unverified		The WKBCH CI shall provide users the capability to rebuild a user session context.	Covers item e
S-CLS- 12810	<del>B</del> <u>B1</u>	function al	increm ental	test	unverified		The WKBCH CI shall provide a dumb terminal Web interface with minimal and consistent use of non-standard keys.	Modification is done by CCR# 97-0407. Covers item g
S-CLS- 12820	<u>В</u> <u>В1</u>	function al	increm ental	test	unverified		The WKBCH CI shall provide a dumb terminal Web interface with capability to save and restore the contents of a menu or form.	Modification is done by CCR# 97-0407. Covers item i.
S-CLS- 12830	<u>₿</u> <u>B1</u>	function al	increm ental	test	unverified		The WKBCH CI shall provide a dumb terminal Web interface with standardized use of commands and terminology across screens.	Modification is done by CCR# 97-0407. Covers item j.
S-CLS- 12840	B B1	function al	increm ental	test	unverified		The WKBCH CI shall provide a dumb terminal Web interface with self-explanatory, meaningful error messages.	Modification is done by CCR# 97-0407. Covers item k.
S-CLS- 12850	B B1	function al	increm ental	test	unverified		The WKBCH CI shall provide a dumb terminal Web interface with availability of a menu tree diagram.	Modification is done by CCR# 97-0407. Covers item m.
S-CLS- 12860	B B1	function al	increm ental	test	unverified		The WKBCH CI shall provide a dumb terminal Web interface with a command language.	Modification is done by CCR# 97-0407. Covers item n.
S-CLS- 12870	B1	function al	increm ental	test	unverified		The WKBCH CI shall support a web interface that provides users system access from local and remote terminals.	User friendly.
<u>S-CLS-</u> <u>12900</u>	A	function al	increm ental	demo			The WKBCH CI shall provide users a capability to store documents at his local workstation.	New link for this RBR. User friendly

L4 id	rel	req_type	req_stat	ver met	ver status	clarification	text	comments
-		1 1 11	us	hod				
S-CLS- 12903	A	function al	increm ental	test			The WKBCH CI shall provide users a capability to save documents at his local workstation.	New link for this RBR. User friendly
<u>S-CLS-</u> 12906	A	function al   interface	increm ental	test			The WKBCH CI shall provide users a capability to print documents at his local workstation.	New link for this RbR. Covers user friendly.
S-CLS- 13240	B1	function al	increm ental	test	unverified		The WKBCH CI shall provide users the capability to individually suspend and restore the Service Requests within a user session after interruption.	Cover item e.
S-CLS- 13270	A	function al	increm ental	demo			The WKBCH CI shall provide a GUI interface with Valid Value lists for all variables.	Covers item c.
S-CLS- 13680	B0 B1	function al	increm ental	test	unverified		The WKBCH CI shall allow users to access the Data Dictionary Service.	Rebinning was done by CCR# 97-0407. Covers item 1.
<del>S-CLS-</del> 13830	В0	function al	increm ental	test	unverified		The WKBCH CI shall make ASTER data acquisition schedules and plans accessible to authorized users on request.	
S-CLS- 14000	B0	function al	increm ental	test	unverified		The WKBCH CI shall provide a user interface that indicates changes in status of an iconified window (e.g., additional results inserted into window).	User friendly.
S-CLS- 14010	В0	function al	increm ental	test	unverified		The WKBCH CI shall prompt the user to save his/her edits when the user quits the editing of workbench objects (e.g., a Result Set or a Guide document), if there are any unsaved edits.	Covers item i.( partially)
S-CLS- 14020	A	function al	increm ental	demo			The WKBCH CI shall list Dependent Valid Values associated with search screens to show current Valid Values, as the parameterization of the search is changed.	Covers item c.
S-CLS- 14440	В0	function al	increm ental	test	unverified		The WKBCH CI shall provide users the capability to retrieve any previously saved DAR parameters into a new DAR, edit the parameters, save the modified parameters, and/or submit the new DAR.	Covers item i.
S-CLS-	B0	function	increm	test	unverified		For WKBCH CI screens requiring user input,	User friendly.

## RTM 3/14/97 Raseline CCR # 97-0443R

				RTM	3/14/97 Ba	seline CCR	# 97-0443B Page	e 14 of 14
L4 id	rel	req_type :	req_stat us	ver_met hod	ver_status	clarification	text	comments
14520		al	ental				optional fields shall be distinguished from mandatory fields.	
S-CLS- 14560	A	function al	increm ental	demo			The WKBCH CI shall provide access to the lists of the Valid Values for data elements, where the data element has an enumerated set of values as a constraint.	Covers item c.
S-CLS- 15690	A	standard s	increm ental	demo			The DESKT CI shall utilize the Motif widget set for providing GUI interfaces.	User friendly.
<del>S-CLS-</del> 15810	B	function al	increm ental	test	unverified		The DESKT CI shall provide a menu tree diagram	
<del>S-CLS-</del> 15910	<del>B0</del>	function al	increm ental	test	unverified		The DESKT CI shall have the capability to prompt the user for confirmation when a user attempts addition, modification or deletion of an object.	
S-DMS- 01000	В0	function al	increm ental	test	unverified		The LIMGR CI shall provide the capability to restore a session after interruption.	Covers item e.
S-DMS- 11000	В0	function al	increm ental	test	unverified		The DIMGR CI shall provide the capability to restore a session after interruption.	Covers item e.
S-DMS- 20910	В0	function al	increm ental	test	unverified		The DDICT CI shall provide access to the lists of the Valid Values for data elements, where the data element has an enumerated set of values as a constraint	Covers item c.
<u>S-DMS-</u> 20930	В0	interface	increm ental	test	unverified		The DDICT CI shall have the capability to export Dependent Valids Values to the ESDIS IMS-V0 and ASTER systems.	New link for this RBR. Modification is done by another DMS CCR. Covers item c.
S-DMS- 31000	B0	function al	increm ental	test	unverified		The GTWAY CI shall provide the capability to restore a session after interruption.	Covers item e.